

IN THE CLAIMS

1. (Currently Amended) A liquid crystal display apparatus, comprising:
 - a liquid crystal display module for displaying picture data;
 - an enclosures loaded with the liquid crystal display module for surrounding the side surface and the rear surface of the liquid crystal display module; and
 - a ~~front~~ case secured to the enclosure and the liquid crystal display module, said ~~front~~ case being made from ~~aluminum or aluminum alloy~~ metal to protect the ~~circumference~~ periphery of a display area in the liquid crystal display module.
2. (Currently Amended) The liquid crystal display apparatus as claimed in claim 1, wherein said ~~front~~ case is electrically connected to the liquid crystal display module.
3. (Currently Amended) A portable information processing apparatus, comprising:
 - a main body having an interfacing device;
 - ~~a hinge coupled to the main body;~~ and
 - a display apparatus, ~~being~~ mechanically coupled to the main body ~~through the hinge~~, for displaying picture data received from the main body, said display apparatus having a liquid crystal display module for displaying picture data, an enclosure loaded with the liquid crystal display module for surrounding the side surface and the rear surface of the liquid crystal display module, and a ~~front~~ case secured to the enclosure and the liquid crystal display module, said front case being made from ~~aluminum or aluminum alloy~~ metal to protect the ~~circumference~~ periphery of a display area in the liquid crystal display module.

4. (Currently Amended) The portable information processing apparatus as claimed in claim 3, wherein said ~~front~~ case is electrically connected to the liquid crystal display module.

5. (Currently Amended) A portable information processing apparatus, comprising:

a main body having an interfacing device;

a liquid crystal display module for displaying picture data received from the main body;

an enclosure loaded with the liquid crystal display module for surrounding the side surface and the rear surface of the liquid crystal display module;

a ~~front~~ case secured to the enclosure and the liquid crystal display module, said ~~front~~ case being made from ~~aluminum or aluminum alloy~~ metal to cover the ~~circumference~~ periphery of a display area in the liquid crystal display module; and

a hinge secured to the main body to have a rotation axis, said hinge having a hinge arm extended from the rotation axis to the enclosure to be positioned between the liquid crystal display module and the enclosure, wherein the liquid crystal display module, the hinge arm and the enclosure are commonly secured thereto.

6. (Currently Amended) The portable information processing apparatus as claimed in claim 5, wherein said ~~front~~ case is electrically connected to the liquid crystal display module and the hinge.

--7. (New) The portable information processing apparatus as claimed in claim 5, wherein the liquid crystal display module, the hinge arm, and the enclosure are commonly secured.

8. (New) The liquid crystal display apparatus as claimed in claim 1, wherein the enclosure has a thickness of about 0.5 to 0.7 mm.

9. (New) The liquid crystal display apparatus as claimed in claim 1, wherein the case has a thickness of less than about 1.2 mm.

10. (New) The liquid crystal display apparatus as claimed in claim 1, wherein the case has a thickness of about 0.5mm.

11. (New) The liquid crystal display apparatus as claimed in claim 1, wherein the metal includes aluminum or aluminum alloy.

12. (New) The portable information processing apparatus as claimed in claim 3, wherein the enclosure has a thickness of about 0.5 to 0.7mm.

13. (New) The portable information processing apparatus as claimed in claim 3, wherein the case has a thickness of less than about 1.2mm.

14. (New) The portable information processing apparatus as claimed in claim 3, wherein the case has a thickness of about 0.5mm.

15. (New) The portable information processing apparatus as claimed in claim 3, wherein the metal includes aluminum or aluminum alloy.

16. (New) The portable information processing apparatus as claimed in claim 3, further comprising:

a hinge coupled to the main body, wherein the display apparatus is mechanically coupled to the main body through the hinge.

17. (New) The portable information processing apparatus as claimed in claim 5, wherein the enclosure has a thickness of about 0.5 to 0.7mm.

18. (New) The portable information processing apparatus as claimed in claim 5, wherein the case has a thickness of less than 1.2mm.

19. (New) The portable information processing apparatus as claimed in claim 5, wherein the case has a thickness of about 0.5mm.

20. (New) The portable information processing apparatus as claimed in claim 5, wherein the metal includes aluminum or aluminum alloy.

21. (New) A display for a computer, comprising:

a display module;

a housing substantially surrounding the display module; and

a bezel having a center opening corresponding to the display module, the bezel including metal and substantially covering a periphery of the display module.

22. (New) The display according to claim 21, wherein the metal includes aluminum or aluminum alloy.

23. (New) The display according to claim 21, wherein the bezel is electrically connected to the display module.

24. (New) The display according to claim 21, wherein the display module is a liquid crystal display module.
25. (New) The display according to claim 21, wherein the housing has a thickness of about 0.5 to 0.7mm.
26. (New) The display according to claim 21, wherein the bezel has a thickness of less than about 1.2mm.
27. (New) The display according to claim 21, wherein the bezel has a thickness of about 0.5mm.
28. (New) A computer, comprising:
- a computer casing; and
 - a display portion coupled to the computer casing, the display portion including:
 - a display module;
 - a housing substantially surrounding the display module; and
 - a bezel having a center opening corresponding to the display module, the bezel including metal and substantially covering a periphery of the display module.
29. (New) The computer according to claim 28, further comprising:
- a hinge coupled to the computer casing, wherein the display portion is coupled to the computer casing through the hinge.
30. (New) The computer according to claim 29, further comprising a hinge arm extending

from the hinge to the housing and positioned between the display module and the housing.

31. (New) The computer according to claim 28, wherein the bezel is electrically connected to the display module.
32. (New) The computer according to claim 28, wherein the display module is a liquid crystal display module.
33. (New) The computer according to claim 28, wherein the housing has a thickness of about 0.5 to 0.7mm.
34. (New) The computer according to claim 28, wherein the bezel has a thickness of less than 1.2mm.
35. (New) The computer according to claim 28, wherein the bezel has a thickness of about 0.5mm.
36. (New) The computer according to claim 28, wherein the display module includes a frame and the bezel is electrically connected to the frame of the display module.
37. (New) The liquid crystal display apparatus according to claim 1, wherein the liquid crystal display module includes a frame and the case is electrically connected to the frame of the liquid crystal display module.

38. (New) The portable information processing apparatus according to claim 3, wherein the liquid crystal display module includes a frame and the case is electrically connected to the frame of the liquid crystal display module.

39. (New) The portable information processing apparatus according to claim 5, wherein the liquid crystal display module includes a frame and the case is electrically connected to the frame of the liquid crystal display module.--